

[View this email in your browser](#)



**How to go over old adhesive residues yet provide a durable surface
for floor coverings?**

UZIN L3 Gold.

Harder. Better. Faster. Stronger.

There has long been a misconception that only a lower strength bag & bottle product can be used to overlay old adhesive residues. With many resilient floor covering manufacturers requiring at least a 25 N compressive strength smoothing compound, there continues to be a flaw in many installations. Lower strength smoothing compounds are susceptible to indentations that will mirror in the floor covering, especially if there is heavy traffic and trolley transportation.

So what should be used? A high quality bag & bottle product such as UZIN L3 Gold is suitable over old, sound, waterproof adhesive residues, even bitumen* if it's well bonded to the substrate. UZIN L3 Gold also has the added bonus of a minimum 25 N compressive strength.




Why choose UZIN L3 Gold?

UZIN L3 Gold is no ordinary bag & bottle smoothing compound as it provides superior performance combined with extremely low curing stress.



Over old adhesive residues
such as Bitumen



UZIN L3 Gold is ideal for use in all types of refurbishment projects. Its exceptional flow and easy grinding, coupled with the option of a moisture control version makes UZIN L3 Gold the basis for perfect floors.



HARDER.

High compressive strength of 25 N and flexural strength of 7 N makes it one of the strongest bag & bottle smoothing compounds on the market. Yet with its low stress formulation, can still be used to go over old waterproof adhesive residues.

BETTER.


Ammonia and latex free makes it ideal for use in sensitive environments such as hospitals. recyclable packaging also makes it much better for the environment and allows flooring contractors to recycle the waste easier than plastic bottles.

FASTER.

Extremely rapid drying, most floor coverings can be installed within 2 hours. Possibly the quickest bag & bottle product on the market.

STRONGER.

The high compressive and flexural strength provides a more durable surface for floor coverings compared to lower strength bag & bottle products.



Eurofins Product Testing A/S confirms that Uzin L3 Gold showed low VOC emissions in a test in accordance with California Department of Health Services Standard Practice...



Why Spectrum?

- Spectrum have been leaders in all of flooring products and solutions for business and government departments since 1976
- Spectrum is a locally owned and operated flooring manufacturer and distributor with over 200 different flooring products

Want More Info?

If you would like us to email some more information on any of our accessories, simply click here and we will be in touch soon.

[View the full range of products on our website](#)

*May require PE 280 primer.

Copyright © 2014 Spectrum Floors, All rights reserved.

You are receiving this as a valued contact of Spectrum Floors.

Our mailing address is:

Spectrum Floors
8 Selgar Avenue
Clovelly Park, SA 5042
Australia

[Add us to your address book](#)

[unsubscribe from this list](#) [update subscription preferences](#)

