



Wall Cladding

SPECTRUM SERIES II available in 13 colours, is a flexible (down to 12mm radius), non reflective plain surface which is resilient, waterproof and

chemically resistant and weldable suitable for a wide range of applications where a durable hygienic and impact resistant surface is available.

Manufactured to ISO 14001 certification.

View the SPECTRUM SERIES II colour range

Colours shown as close as possible. A complimentary sample service is available.

TECHNICAL DATA

| THICKNESS | EN428 | 1.5mm ± 0.1mm |
|-----------------------|---------|-------------------|
| WEIGHT | | 2.4 kg/m² |
| ROLL LENGTH | EN426 | 25-30 l/m approx. |
| WIDTH | EN426 | 150cm |
| FIRE RATING | BCA-NCC | GROUP 2 |
| CHEMICAL RESISTANCE | EN423 | NO EFFECT |
| WATER RESISTANCE | SFS3935 | WATERPROOF |
| DIMENSIONAL STABILITY | SFS2719 | ≥ 0.2% |

Feel free to use our technical advice service - call us today Freecall: 1300 786 585

Why Spectrum?

- Spectrum have been leaders in all of flooring products and solutions for business and government departments since 1976.
- Spectrum is a locally owned and operated flooring manufacturer and distributor with over 200 different flooring products.



Want More Info?

If you would like us to email some more information on any of our rubber products or solutions, simply click here and we will be in touch soon.

View the full range of products on our website









f like * TWEET * FORWARD

Spectrum - Quality Commercial Flooring 8 Selgar Avenue Clovelly Park, SA 5042 Australia 1300 786 585

Thank you for receiving our newsletter. Preferences | Unsubscribe